




MVB Power-Star Bearing Co.  
 Url:www.mvbbearing.com  
 Email:vivy@mvbbearing.com  
 mvbbearing@gmail.com  
 Tel:+86-592-523 0986  
 Fax:+86-592-376 1975




**DEEP GROOVE BALL BEARINGS - BRONZE CAGE - ABEC #5 PRECISION**

MVB No.	Dimensions (Metric)			Approx. Wgt. (lbs.)	Interchange	
	d	D	B		FAG	SKF
6002 M P/5	15	32	9	.080	6002M.P5	-
6004 M P/5	20	42	12	.180	6004M.P5	-
6005 M P/5	25	47	12	.220	6005M.P5	-
6006 M P/5	30	55	13	.330	6006M.P5	-
6007 M P/5	35	62	14	.410	6007M.P5	-
6008 M P/5	40	68	15	.520	6008M.P5	-
6009 M P/5	45	75	16	.670	6009M.P5	-
6010 M P/5	50	80	16	.690	6010M.P5	-
6011 M P/5	55	90	18	1.020	6011M.P5	-
6012 M P/5	60	95	18	1.110	6012M.P5	-
6013 M P/5	65	100	18	1.340	6013M.P5	-
6014 M P/5	70	110	20	1.670	6014M.P5	-
6015 M P/5	75	115	20	1.780	6015M.P5	-
6016 M P/5	80	125	22	2.330	6016M.P5	-
6017 M P/5	85	130	22	2.420	6017M.P5	-
6018 M P/5	90	140	24	2.830	6018M.P5	-
6020 M P/5	100	150	24	3.440	6020M.P5	-
6021 M P/5	105	160	26	3.580	6021M.P5	-
6022 M P/5	110	170	28	5.230	6022M.P5	-
6024 M P/5	120	180	28	5.340	6024M.P5	-
6026 M P/5	130	200	33	8.360	6026M.P5	-
6200 M P/5	10	30	9	.080	6200M.P5	6200YC78
6201 M P/5	12	32	10	.100	6201M.P5	6201YC78
6202 M P/5	15	35	11	.130	6202M.P5	6202YC78
6203 M P/5	17	40	12	.190	6203M.P5	6203YC78
6204 M P/5	20	47	14	.270	6204M.P5	6204YC78
6205 M P/5	25	52	15	.310	6205M.P5	6205YC78
6206 M P/5	30	62	16	.530	6206M.P5	6206YC78
6207 M P/5	35	72	17	.700	6207M.P5	6207YC78
6208 M P/5	40	80	18	.990	6208M.P5	6208YC78
6209 M P/5	45	85	19	1.000	6209M.P5	6209YC78
6210 M P/5	50	90	20	1.130	6210M.P5	6210YC78
6211 M P/5	55	100	21	1.640	6211M.P5	6211YC78
6212 M P/5	60	110	22	1.900	6212M.P5	6212YC78
6213 M P/5	65	120	23	2.590	6213M.P5	6213YC78
6214 M P/5	70	125	24	2.870	6214M.P5	6214YC78
6215 M P/5	75	130	25	3.190	6215M.P5	6215YC78
6216 M P/5	80	140	26	3.730	6216M.P5	6216YC78
6217 M P/5	85	150	28	4.720	6217M.P5	6217YC78
6218 M P/5	90	160	30	5.780	6218M.P5	6218YC78
6219 M P/5	95	170	32	7.460	6219M.P5	-
6220 M P/5	100	180	34	7.610	6220M.P5	6220YC78
6222 M P/5	110	200	38	10.120	6222M.P5	-
6224 M P/5	120	215	40	13.960	6224M.P5	-
6226 M P/5	130	230	40	17.530	6226M.P5	-
6228 M P/5	140	250	42	20.510	6228M.P5	-

NOTE:  
 1.) C/3 internal clearance is available on all of the above sizes.



MVB Power-Star Bearing Co.  
 Url:www.mvbbearing.com  
 Email:vivy@mvbbearing.com  
 mvbbearing@gmail.com  
 Tel:+86-592-523 0986  
 Fax:+86-592-376 1975



**DEEP GROOVE BALL BEARINGS - BRONZE CAGE - ABEC #5 PRECISION**

MVB No.	Dimensions (Metric)			Approx. Wgt. (lbs.)	Interchange	
	d	D	B		FAG	SKF
6301 M P/5	12	37	12	.170	6301M.P5	-
6302 M P/5	15	42	13	.200	6302M.P5	-
6303 M P/5	17	47	14	.280	6303M.P5	6303YC78
6304 M P/5	20	52	15	.360	6304M.P5	6304YC78
6305 M P/5	25	62	17	.630	6305M.P5	6305YC78
6306 M P/5	30	72	19	.840	6306M.P5	6306YC78
6307 M P/5	35	80	21	1.010	6307M.P5	6307YC78
6308 M P/5	40	90	23	1.400	6308M.P5	6308YC78
6309 M P/5	45	100	25	2.250	6309M.P5	6309YC78
6310 M P/5	50	110	27	2.890	6310M.P5	6310YC78
6311 M P/5	55	120	29	3.660	6311M.P5	6311YC78
6312 M P/5	60	130	31	4.610	6312M.P5	6312YC78
6313 M P/5	65	140	33	5.690	6313M.P5	6313YC78
6314 M P/5	70	150	35	6.890	6314M.P5	6314YC78
6315 M P/5	75	160	37	8.320	6315M.P5	6315YC78
6316 M P/5	80	170	39	9.480	6316M.P5	6316YC78
6317 M P/5	85	180	41	11.180	6317M.P5	6317YC78
6318 M P/5	90	190	43	13.170	6318M.P5	-
6319 M P/5	95	200	45	15.280	6319M.P5	-
6320 M P/5	100	215	47	18.520	6320M.P5	-
6322 M P/5	110	240	50	25.250	6322M.P5	-

NOTE:  
 1.) C/3 internal clearance is available on all of the above sizes.

