




MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975



Open

DEEP GROOVE BALL BEARINGS - MINIATURE

MVB No.	Dimensions (Metric)	Dimensions (Metric)			Approx. Wgt. (lbs.)	Interchange						
		(Old No.)	d	D		B	ADR	ISC	Nachi	NMB	NTN	RMB
681	AX-1	1	3	1	.0001	AX-1	681	-	L-310	681	UL103	AX-1
MR-31X	-	1	3	1.5	.0001	-	MR31	-	L-310W51	-	-	-
691	-	1	4	1.6	.0001	-	691	-	-	691	-	-
MR-41/1.2	-	1.2	4	1.8	.0001	-	MR41X	-	R-412	BC1.2-4	-	-
68/1.5	AX-1.5	1.5	4	1.2	.0001	AX-1.5	681X	015M04	L-415	68/1.5	UL154	AX-1.5
X-1.5	-	1.5	5	1.7	.0004	X-1.5	-	-	-	-	-	X-1.5
69/1.5	-	1.5	5	2	.0004	619/1.5	691X	015M05	R-515	69/1.5	R1550	619/1.5
60/1.5	-	1.5	6	2.5	.0005	-	601X	015M06	R-615	60/1.5	-	-
672	-	2	4	1.2	.0002	-	-	-	-	672	-	-
682	BX-2	2	5	1.5	.0002	BX-2	682	682	L-520	682	UL205	BX-2
MR-52X	-	2	5	2	.0004	-	MR52	2M05	L-520W02	BC2-5	-	-
692	AX-2	2	6	2.3	.0006	AX-2	692	692	R-620	692	R2060	AX-2
MR-62	-	2	6	2.5	.0006	-	MR62	2M06	R-620W52	BC2-6	-	-
MR-72X	-	2	7	2.5	.0008	-	MR72	2M07	R-720Y52	BC2-7	-	-
602	-	2	7	2.8	.0008	-	602	602	R-720	602	-	-
67/2.5	-	2.5	5	1.5	.0004	-	-	-	-	67/2.5	-	-
68/2.5	AX-2.5	2.5	6	1.8	.0005	AX-2.5	682X	68/2.5	L-625	68/2.5	UL256	AX-2.5
69/2.5	X-2.5	2.5	7	2.5	.0011	X-2.5	692X	69/2.5	R-725	69/2.5	R2570	X-2.5
MR-82/2.5	-	2.5	8	2.5	.0011	-	MR82X	025M08	R-825Y52	BC2.5-8	-	-
60/2.5	-	2.5	8	2.8	.0011	-	602X	60/2.5	R-825	60/2.5	R2580	-
673	MR-63	3	6	2	.0006	-	MR63	3M06	L-630	673	-	-
683	AX-3	3	7	2	.0008	AX-3	-	683	L-730	683	UL307	AX-3
638/3	-	3	7	3	.0008	-	-	-	-	-	-	-
MR-83	X-3	3	8	2.5	.0020	X3	MR83	3M08	R-830Y52	BC3-8	-	X3
693	619/3	3	8	3	.0020	619/3	693	693	R-830	693	-	619/3
639/3	-	3	8	4	.0020	-	-	-	-	-	-	-
MR-93	-	3	9	2.5	.0020	-	MR93	3M09	R-930Y52	BC3-9	-	-
603	-	3	9	3	.0030	-	603	603	R-930	603	-	-
623	EL-3	3	10	4	.0040	623	623	623	R-1030	623	R3100	623
633	-	3	13	5	.0060	-	633	633	-	633	-	-
674	MR-74	4	7	2	.0010	-	MR74	4M07	L-740	674	-	-
MR-84	-	4	8	2	.0020	-	MR84	4M08	L-840	BC4-8	-	-
684	618/4	4	9	2.5	.0020	AX-4	684	684	618/4	684	UL409	618/4
638/4	-	4	9	4	.0030	-	-	-	-	-	-	-
MR-104	X-4	4	10	3	.0020	X4	MR104	4M10	L-1040	BC4-10	-	X4
694	619/4	4	11	4	.0037	AY4	694	694	R-1140	694	R4110(X)	619/4
604	-	4	12	4	.0037	604	604	604	R-1240	604	-	604
624	EL-4	4	13	5	.0070	624	624	624	R-1340	624	R4130	624
634	R-4	4	16	5	.0120	634	634	634	R-1640	634	R4160	634
675	-	5	8	2	.0025	-	MR85	5M08	L-850	675	-	-


NOTE:

1.) Also available in ABEC #3, #5 and #7 precision. Consult factory for availability.

轴承 球轴承 Rodamientos Rolamentos Roulements Kugellager Kullager Сусципінні Подшипники Подшипник Козушка Ložisko Ležaj Laakeri Lager Lager Сабарэгу 滚动轴承 轴承 2014



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975



Open

DEEP GROOVE BALL BEARINGS - MINIATURE


MVB No.	(Old No.)	Dimensions (Metric)			Approx. Wgt. (lbs.)	Interchange						
		d	D	B		ADR	ISC	Nachi	NMB	NTN	RMB	SKF
MR-95	-	5	9	2.5	.0020	-	MR95	5M09	L-950	BC5-9	-	-
MR-105	-	5	10	3	.0020	-	MR105	5M10	L-1050	BC5-10	-	-
685	618/5	5	11	3	.0020	X-5	685	685	L-1150	685	UL511	618/5
638/5	-	5	11	5	.0030	-	-	-	-	-	-	-
695	619/5	5	13	4	.0040	AY-5	695	695	R-1350	695	R5130(X)	619/5
605	-	5	14	5	.0050	-	605	605	R-1450	605	-	-
625	EL-5	5	16	5	.0120	625	625	625	R-1650	625	R5160	625
635	R-5	5	19	6	.0200	635	635	635	R-1950	635	R5190	635
676	-	6	10	2.5	.0020	-	MR106	6M10	L-1060	676	-	-
MR-126	X-6	6	12	3	.0060	X-6	MR126	6M12	L-1260	BC6-12	-	X-6
686	618/6	6	13	3.5	.0060	AX-6	686	686	L-1360	686	UL613	618/6
628/6	-	6	13	5	.0060	-	-	-	-	-	-	-
696	619/6	6	15	5	.0090	AY-6	696	696	R-1560	696	R6150X	619/6
606	-	6	17	6	.0040	-	606	606	R-1760	606	-	-
626	EL-6	6	19	6	.0190	626	-	626	R-1960	626	R6190	626
636	-	6	22	7	.0250	-	-	636	-	-	-	-
677	-	7	11	2.5	.0070	-	MR117	7M11	L-1170	677	-	-
MR-137	-	7	13	3	.0040	-	MR137	7M13	L-1370	BC7-13	-	-
687	618/7	7	14	3.5	.0040	AX-7	687	687	L-1470	687	UL714	618/7
X-7	-	7	14	4	.0040	X-7	-	-	-	-	-	X-7
628/7	-	7	14	5	.0060	-	-	-	-	-	-	-
697	619/7	7	17	5	.0110	AY-7	697	697	-	697	-	619/7
607	EL-7	7	19	6	.0180	607	-	607	R-1970	607	R7190	607
627	R-7	7	22	7	.0290	627	-	627	R-2270	627	R7220	627
637	-	7	26	9	.0530	-	-	637	-	-	-	-
678	-	8	12	2.5	.0050	-	MR128	8M12	L-1280	678	-	-
MR-148	-	8	14	3.5	.0060	-	MR148	8M14	L-1480	BC8-14	-	-
688	618/8	8	16	4	.0067	X-8	688	688	L-1680	688	UL816	618/8
628/8	-	8	16	5	.0080	-	-	-	-	-	-	-
638/8	-	8	16	6	.0093	-	-	-	-	-	-	-
698	619/8	8	19	6	.0150	AY-8	698	698	-	698	-	619/8
X-117	-	8	22	6	.0200	-	-	-	-	-	-	-
608	EL-8	8	22	7	.0280	608	-	608	R-2280	608	R8220	608
628	-	8	24	8	.0350	-	-	628	-	628	-	628
638	-	8	28	9	.0500	-	-	638	-	-	-	-
679	-	9	14	3	.0100	-	-	-	-	679	-	-
689	618/9	9	17	4	.0120	X-9	689	689	L-1790	689	UL917	618/9
628/9	-	9	17	5	.0128	-	-	-	-	-	-	-
638/9	-	9	17	6	.0133	-	-	-	-	-	-	-
699	619/9	9	20	6	.0200	AY-9	699	699	L-2090	699	-	619/9
609	EL-9	9	24	7	.0330	609	-	609	-	609	-	609
629	R-9	9	26	8	.0440	629	-	629	R-2690	629	-	629
639	-	9	30	10	.0750	-	-	639	-	-	-	-

NOTE:

1.) Also available in ABEC #3, #5 and #7 precision. Consult factory for availability.



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975



Two Shields
ZZ

DEEP GROOVE BALL BEARINGS - TWO SHIELDS - MINIATURE


MVB No.	(Old No.)	Dimensions (Metric)			Approx. Wgt. (lbs.)	Interchange						
		d	D	B		ADR	ISC	Nachi	NMB	NTN	RMB	SKF
681-ZZ	-	1	3	1.5	.0001	-	-	-	-	W681ZZA	-	-
691-ZZ	-	1	4	2.3	.0001	-	-	-	-	W691ZZA	-	-
MR-41/1.2-ZZ	MR-41X-ZZ	1.2	4	2.5	.0001	-	-	-	-	-	-	-
68/1.5-ZZ	AX-1.5-ZZ	1.5	4	2	.0001	AX1.5ZZ	681XZZS	015M04ZZ	-	W68/1.5ZZA	-	AX1.5ZZ
69/1.5-ZZ	-	1.5	5	2.6	.0004	X1.5ZZ	691XZZS	015M05ZZ	R-515ZZ	W69/1.5ZZA	-	X1.5ZZ
60/1.5-ZZ	-	1.5	6	3	.0005	-	601XZZS	015M06ZZ	R-615ZZ	W60/1.5ZZA	-	-
672-ZZ	-	2	4	2	.0002	-	-	-	-	W672ZZA	-	-
682-ZZ	BX-2-ZZ	2	5	2.3	.0004	BX2ZZ	682ZZS	682ZZ	L-520ZZ	W682ZZA	-	BX2ZZ
MR-52-ZZ	-	2	5	2.5	.0004	-	MR52ZZS	2M05ZZ	L-520ZZW02	WBC2-5ZZA	-	-
692-ZZ	AX-2-ZZ	2	6	3	.0006	AX2ZZ	692ZZS	692ZZ	R-620ZZ	W692ZZA	-	AX2ZZ
MR-62-ZZ	-	2	6	2.5	.0005	-	-	2M06ZZ	R-620ZZY52	-	-	-
MR-72-ZZ	-	2	7	3	.0006	-	MR72ZZS	2M07ZZ	R-720ZZY03	WBC2-7ZZA	-	-
602-ZZ	-	2	7	3.5	.0008	-	602ZZS	602ZZS	R-720ZZ	W602ZZA	-	-
67/2.5-ZZ	-	2.5	5	2.3	.0004	-	-	-	-	W67/2.5ZZA	-	-
68/2.5-ZZ	-	2.5	6	2.6	.0005	AX2.5ZZ	682XZZS	68/2.5ZZ	L-625ZZ	W68/2.5ZZA	-	AX2.5ZZ
X-2.5-ZZ	-	2.5	7	3	.0005	X2.5ZZ	-	-	-	WBC2.5-7ZZA	-	X2.5ZZ
69/2.5-ZZ	-	2.5	7	3.5	.0008	-	692XZZS	69/2.5ZZ	R-725ZZ	W69/2.5ZZA	-	-
60/2.5-ZZ	-	2.5	8	4	.0015	-	602XZZS	60/2.5ZZ	R-825ZZ	W60/2.5ZZA	-	-
673-ZZ	MR-63-ZZ	3	6	2.5	.0006	-	MR63ZZS	3M06ZZ	L-630ZZ	W673ZZA	-	-
683-ZZ	638/3-ZZ	3	7	3	.0008	AX3ZZ	683ZZS	683ZZ	L-730ZZ	W683ZZA	ULZ307	AX3ZZ
MR-83-ZZ	X-3-ZZ	3	8	3	.0020	X3ZZ	-	-	-	-	-	X3ZZ
693-ZZ	639/3-ZZ	3	8	4	.0020	-	693ZZS	693ZZ	R-830ZZ	W693ZZA	-	-
MR-93-ZZ	-	3	9	4	.0025	-	MR93ZZS	3M09ZZ	R-930ZZY04	WBC3-9ZZA	-	-
603-ZZ	-	3	9	5	.0035	-	-	603ZZ	R-930ZZ	W603ZZA	-	-
623-ZZ	EL-3-ZZ	3	10	4	.0040	623ZZ	623ZZS	623ZZ	R-1030ZZ	623ZZA	RF310	623ZZ
633-ZZ	-	3	13	5	.0060	-	633ZZ	633ZZ	-	633ZZA	-	-
674-ZZ	MR-74-ZZ	4	7	2.5	.0010	-	MR74ZZS	4M07ZZ	L-740ZZ	W674ZZA	-	-
MR-84-ZZ	-	4	8	3	.0020	-	MR84ZZS	4M08ZZ	L-840ZZ	WBC4-8ZZA	-	-
AX-4-ZZ	618/4-ZZ	4	9	3.5	.0025	AX4ZZ	-	-	-	-	-	628/4ZZ
684-ZZ	638/4-ZZ	4	9	4	.0030	638/4ZZ	684ZZS	684ZZ	L-940ZZ	W684ZZA	ULZ409	638/4ZZ
MR-104-ZZ	X-4-ZZ	4	10	4	.0035	X4ZZ	MR104ZZS	4M10ZZ	L-1040ZZ	WBC4-10ZZA	-	X4ZZ
694-ZZ	619/4-ZZ	4	11	4	.0037	AY4ZZ	694ZZS	694ZZ	R-1140ZZ	694ZZA	RV411(X)	619/4ZZ
604-ZZ	-	4	12	4	.0037	604ZZ	604ZZS	604ZZ	R-1240ZZ	604ZZ	-	604ZZ
624-ZZ	EL-4-ZZ	4	13	5	.0070	624ZZ	624ZZ	624ZZ	R-1340ZZ	624ZZ	RF413	624ZZ
634-ZZ	R-4-ZZ	4	16	5	.0120	634ZZ	634ZZ	634ZZ	R-1640ZZ	634ZZ	RV416	634ZZ
675-ZZ	-	5	8	2.5	.0025	-	MR85ZZS	5M08ZZ	L-850ZZ	W675ZZA	-	-
MR-95-ZZ	-	5	9	3	.0030	-	MR95ZZS	5M09ZZ	L-950ZZ	WBC5-9ZZA	-	-
MR-105-ZZ	-	5	10	4	.0035	-	MR105ZZS	5M10ZZ	L-1050ZZ	WBC5-10ZZA	-	-
MR-115-ZZ	618/5-ZZ	5	11	4	.0035	X5ZZ	-	-	-	WBC5-11ZZA	-	628/5ZZ
685-ZZ	638/5-ZZ	5	11	5	.0040	-	685ZZS	685ZZ	L-1150ZZ	W685ZZA	ULZ511	638/5ZZ

NOTE:

1.) Also available with one shield - suffix "Z". No change in width dimensions.



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975



Two Shields
ZZ

DEEP GROOVE BALL BEARINGS - TWO SHIELDS - MINIATURE


MVB No.	(Old No.)	Dimensions (Metric)			Approx. Wgt. (lbs.)	Interchange						
		d	D	B		ADR	ISC	Nachi	NMB	NTN	RMB	SKF
695-ZZ	619/5-ZZ	5	13	4	.0054	AY5ZZ	695ZZS	695ZZ	R-1350ZZ	695ZZ	RV513(X)	619/5ZZ
605-ZZ	-	5	14	5	.0054	-	605ZZS	605ZZ	R-1450ZZ	605ZZ	-	-
625-ZZ	EL-5-ZZ	5	16	5	.0129	625ZZ	625ZZ	625ZZ	R-1650ZZ	625ZZ	RV516	625ZZ
635-ZZ	R-5-ZZ	5	19	6	.0200	635ZZ	635ZZ	635ZZ	R-1950ZZ	635ZZ	RV519	635ZZ
676-ZZ	-	6	10	3	.0030	-	MR106ZZS	6M10ZZ	L-1060ZZ	-	-	-
MR-126-ZZ	X-6-ZZ	6	12	4	.0060	X6ZZ	MR126ZZS	6M12ZZ	L-1260ZZ	WBC6-12ZZA	-	X6ZZ
AX-6-ZZ	-	6	13	4.5	.0051	AX6ZZ	-	-	-	-	-	AX6ZZ
686-ZZ	628/6-ZZ	6	13	5	.0050	628/6ZZ	686ZZS	686ZZ	L-1360ZZ	W686ZZA	ULZ613	628/6ZZ
696-ZZ	619/6-ZZ	6	15	5	.0086	AY6ZZ	696ZZ	696ZZ	R-1560ZZ	696ZZ	RV615(X)	619/6ZZ
606-ZZ	-	6	17	6	.0089	-	606ZZS	606ZZ	R-1760ZZ	606ZZ	-	-
626-ZZ	EL-6-ZZ	6	19	6	.0219	626ZZ	-	626ZZ	R-1960ZZ	626ZZ	RV619	626ZZ
636-ZZ	-	6	22	7	.0300	-	-	636ZZ	-	-	-	-
677-ZZ	-	7	11	3	.0080	-	MR117ZZS	7M11ZZ	L-1170ZZ	-	-	-
MR-137-ZZ	-	7	13	4	.0044	-	MR137ZZS	7M13ZZ	L-1370ZZ	WBC7-13ZZA	-	-
687-ZZ	628/7-ZZ	7	14	5	.0064	AX7ZZ	687ZZS	687ZZ	L-1470ZZ	W687ZZA	ULZ714	628/7ZZ
697-ZZ	619/7-ZZ	7	17	5	.0108	AY7ZZ	-	697ZZ	-	-	-	619/7ZZ
607-ZZ	EL-7-ZZ	7	19	6	.0200	607ZZ	-	607ZZ	R-1970ZZ	607ZZ	RV719	607ZZ
627-ZZ	R-7-ZZ	7	22	7	.0259	627ZZ	-	627ZZ	R-2270ZZ	627ZZ	RV722	627ZZ
637-ZZ	-	7	26	9	.0529	-	-	637ZZ	-	-	-	-
678-ZZ	-	8	12	3.5	.0060	-	MR128ZZS	8M12ZZ	L-1280ZZ	W678ZZA	-	-
MR-148-ZZ	-	8	14	4	.0070	-	MR148ZZS	8M14ZZ	L-1480ZZ	WBC8-14ZZA	-	-
688-ZZ	628/8-ZZ	8	16	5	.0089	X8ZZ	688ZZS	688ZZ	L-1680ZZ	W688ZZA	-	628/8ZZ
638/8-ZZ	-	8	16	6	.0089	638/8ZZ	-	-	-	-	ULZ816	638/8ZZ
698-ZZ	619/8-ZZ	8	19	6	.0155	AY8ZZ	-	698ZZ	-	698ZZ	-	619/8ZZ
608-ZZ	EL-8-ZZ	8	22	7	.0330	608ZZ	-	60ZZ	R-2280ZZ	608ZZ	RV822	608ZZ
628-ZZ	-	8	24	8	.0375	-	-	628ZZ	-	628ZZ	-	628ZZ
638-ZZ	-	8	28	9	.0600	-	-	638ZZ	-	-	-	638ZZ
679-ZZ	-	9	14	4.5	.0100	-	-	-	-	W679ZZA	-	-
689-ZZ	628/9-ZZ	9	17	5	.0150	X9ZZ	-	689ZZ	L-1790ZZ	W689ZZA	-	628/9ZZ
638/9-ZZ	-	9	17	6	.0150	-	-	-	-	-	-	-
699-ZZ	619/9-ZZ	9	20	6	.0168	AY9ZZ	-	699ZZ	L-2090ZZ	699ZZ	-	619/9ZZ
609-ZZ	EL-9-ZZ	9	24	7	.0330	609ZZ	-	609ZZ	-	609ZZ	-	609ZZ
629-ZZ	R-9-ZZ	9	26	8	.0439	629ZZ	-	629ZZ	R-2690ZZ	629ZZ	-	629ZZ
639-ZZ	-	9	30	10	.0750	-	-	639ZZ	-	-	-	-

NOTE:

1.) Also available with one shield - suffix "Z". No change in width dimensions.



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975



Two Seals
2RS

DEEP GROOVE BALL BEARINGS - TWO SEALS - MINIATURE

MVB No.	(Old No.)	Dimensions (Metric)			Approx. Wgt. (lbs.)	Interchange						
		d	D	B		ADR	ISC	Nachi	NMB	NTN	RMB	SKF
683-2RS	638/3-2RS	3	7	3	.0020	-	-	-	-	-	-	-
693-2RS	639/3-2RS	3	8	4	.0020	-	-	-	-	-	-	-
623-2RS	EL-3-2RS	3	10	4	.0040	-	-	-	-	623LLU	-	623-2RS1
684-2RS	638/4-2RS	4	9	4	.0030	-	-	-	-	-	-	-
694-2RS	619/4-2RS	4	11	4	.0030	-	-	-	-	-	-	-
604-2RS	-	4	12	4	.0030	-	-	-	-	-	-	-
624-2RS	EL-4-2RS	4	13	5	.0089	-	-	-	-	624LLU	-	-
634-2RS	R-4-2RS	4	16	5	.0109	-	-	-	-	634LLU	-	634-2RS1
685-2RS	638/5-2RS	5	11	5	.0040	-	-	-	-	-	-	-
695-2RS	619/5-2RS	5	13	4	.0054	-	-	-	-	-	-	-
605-2RS	-	5	14	5	.0060	-	-	-	-	605LLU	-	-
625-2RS	EL-5-2RS	5	16	5	.0129	-	-	-	-	625LLU	-	-
635-2RS	R-5-2RS	5	19	6	.0200	-	-	635-2NSL	-	635LLU	-	635-2RS1
686-2RS	628/6-2RS	6	13	5	.0050	-	-	-	-	-	-	-
696-2RS	619/6-2RS	6	15	5	.0086	-	-	696-2NSL	-	-	-	-
606-2RS	-	6	17	6	.0060	-	-	606-2NSL	-	606LLU	-	-
626-2RS	EL-6-2RS	6	19	6	.0219	626-2RS1	-	626-2NSL	-	626LLU	-	626-2RS1
636-2RS	-	6	22	7	.0290	-	-	636-2NSL	-	-	-	-
687-2RS	628/7-2RS	7	14	5	.0064	-	-	-	-	-	-	-
697-2RS	619/7-2RS	7	17	5	.0108	-	-	697-2NSL	-	-	-	-
607-2RS	EL-7-2RS	7	19	6	.0200	607-2RS1	-	607-2NSL	-	607LLU	-	607-2RS1
627-2RS	R-7-2RS	7	22	7	.0259	627-2RS1	-	627-2NSL	-	627LLU	-	627-2RS1
637-2RS	-	7	26	9	.0529	-	-	637-2NSL	-	-	-	-
688-2RS	628/8-2RS	8	16	5	.0082	-	-	-	-	-	-	628/8-2RS1
638/8-2RS	-	8	16	6	.0089	-	-	-	-	-	-	-
698-2RS	619/8-2RS	8	19	6	.0155	-	-	698-2NSL	-	-	-	619/8-2RS1
608-2RS	EL-8-2RS	8	22	7	.0330	608-2RS1	-	608-2NSL	-	608LLU	-	608-2RS1
628-2RS	-	8	24	8	.0420	-	-	628-2NSL	-	628LLU	-	628-2RS1
638-2RS	-	8	28	9	.0600	-	-	638-2NSL	-	-	-	-
689-2RS	628/9-2RS	9	17	5	.0088	-	-	-	-	-	-	628/9-2RS1
638/9-2RS	-	9	17	6	.0089	-	-	-	-	-	-	-
699-2RS	619/9-2RS	9	20	6	.0168	-	-	699-2NSL	-	-	-	-
609-2RS	EL-9-2RS	9	24	7	.0330	609-2RS1	-	609-2NSL	-	609LLU	-	609-2RS1
629-2RS	R-9-2RS	9	26	8	.0439	629-2RS1	-	629-2NSL	-	629LLU	-	629-2RS1
639-2RS	-	9	30	10	.0750	-	-	639-2NSL	-	-	-	-